

BETA



DZ-BETA-22SZM11



DZ-BETA-22SZM16



DZ-BETA-22SZM22



DZ-BETA-ZM017



DZ-BETA-SZ045



DZ-BETA-22SZ045



DZ-BETA-AJ07



DZ-BETA-AJ08



DZ-SLR-CK

DZ-BETA-22SZM11



TEMPLATE INFO

Template:
Partial slim fit(set-in sleeve)

Fabric composition:
85% polyester 15% spandex


Length: Medium length

Matching of fabric accessories:
Whole body **N0651** fabric, sleeves **K20510** jacquard reverse
4.5cm anti-skid webbing at the rear hem with hot rotation
Sleeve and front hem bonding technology
Collar with compressed antiperspirant strips design
YKK formal zipper (cover) low crew neck design


DZ-BETA-22SZM11 SIZE CHART

Unit: cm

SIZE CHART	XXS	XS	S	M	L	XL	2XL	3XL	4XL	5XL
1 1/2Chest	33	35	37	39	41	43	46	49	52	55
2 1/2Waist	29	32	34	36	38	40	44	48	52	55
3 1/2Hem	31	33	35	37	39	41	44	47	50	53
4 Sleeves length	23	23.5	24	24.5	25.5	26	26.5	27	27	27
5 1/2Cuff	10	10.5	11	11.5	12	12.5	13.25	14	14.75	15.5
6 Front zipper	36	38	40	42	44	46	48	50	50	50
7 Back length	53	55	57	59	61	63	65	67	67	67



DZ-BETA-22SZM16



TEMPLATE INFO

Template:
Partial slim fit(set-in sleeve)

Fabric composition: 94% polyester 6% spandex


Length: Medium to short

Matching of fabric accessories:
Whole body **T02** fabric
Sleeves **1cm** bonding technology
Front hem **2 cm** bonding technology
Rear hem **2.5 cm** steel pressed non-slip webbing
Collar with compressed antiperspirant strips design
YKK reverse zipper(exposed)
Waterproof pocket zipper (cover)
Low crew neck design

DZ-BETA-22SZM16SIZE CHART

Unit: cm

SIZE CHART	XS	S	M	L	XL	2XL	3XL	4XL	5XL
1 1/2Chest	35	37	39	41	43	46	49	52	55
2 1/2Waist	32	34	36	38	40	44	48	52	55
3 1/2Hem	33	35	37	39	41	44	47	50	53
4 Sleeves length	23.5	24	24.5	25.5	26	26.5	27	27	27
5 1/2Cuff	10.5	11	11.5	12	12.5	13.25	14	14.75	15.5
6 Front zipper	40	42	44	46	48	50	52	52	52
7 Back length	55	57	59	61	63	65	67	67	67



DZ-BETA-22SZM22



TEMPLATE INFO

Template:
Partial casual(set-in sleeve) for people who are not very standard

Fabric composition: 92% polyester 8% spandex


Length: Traditional short

Matching of fabric accessories:
Whole body **T206** fabric, sleeves bonding technology
Front hem anti-skid webbing
Rear hem **4.5cm** anti-skid webbing with bot rotation
Collar with compressed antiperspirant strips design
YKK formal zipper(exposed) with low crew neck design

DZ-BETA-22SZM22SIZE CHART

Unit: cm

SIZE CHART	XXS	XS	S	M	L	XL	2XL	3XL	4XL
1 1/2Chest	39	41	43	45	47	50	53	56	59
2 1/2Waist	34	36	38	40	42	46	50	54	58
3 1/2Hem	33	35	37	39	41	44	47	50	53
4 Sleeves length	25.5	26	26.5	27	27.5	28	28.5	29	29
5 1/2Cuff	10.5	11	11.5	12	12.75	13.5	14.25	15	15.75
6 Front zipper	46	48	50	52	54	56	58	60	60
7 Back length	60	62	64	66	68	70	72	74	74



DZ-BETA-ZM017



TEMPLATE INFO

Template: Partial slim fit(set-in sleeve)

Fabric composition: 88% polyester 12% spandex.

Length: Medium length

Matching of fabric accessories:

Whole body milk silk fabric

Sleeves **T01** mesh jacquard fabric

Hem **2.5cm** steel pressured anti-skid webbing cuffs

Front hem bonding technology


Collar with compressed antiperspirant strips design

YKK reversed zipper(exposed) with low V-neck design

DZ-BETA-ZM017 SIZE CHART

Unit: cm

SIZE CHART	XS	S	M	L	XL	2XL	3XL	4XL
1 1/2Chest	35	37	39	41	43	46	49	52
2 1/2Waist	32	34	36	38	40	44	48	52
3 1/2Hem	33	35	37	39	41	44	47	50
4 Sleeves length	24	24.5	25	25.5	26	26.5	27	27
5 1/2Cuff	10.5	11	11.5	12	12.5	13.25	14	14.75
6 Front zipper	38	40	42	44	46	48	50	50
7 Back length	55	57	59	61	63	65	67	67



DZ-BETA-SZ045 SHORT SLEEVE JERSEY



TEMPLATE INFO

Template: Partial slim fit(set-in sleeve)

Fabric composition: 92% polyester 8% spandex

Length: Medium length


Matching of fabric accessories:

Whole body **T090** fabric, sleeves **milk shreds** fabric
 Cuffs arbitrary tailored technology, collar bonding technology
 Rear hem **4.5cm** non-slip webbing hot rotation
 Collar with compressed antiperspirant strips design
YKK formal zipper(exposed) with low V-neck design

DZ-BETA-SZ045 SHORT SLEEVE JERSEY SIZE CHART

Unit: cm

SIZE CHART	XS	S	M	L	XL	2XL	3XL	4XL
1 1/2Chest	35	37	39	41	43	47	51	55
2 1/2Waist	32	34	36	38	40	44	48	52
3 1/2Hem	34	36	38	40	42	45	48	51
4 Sleeves length	24	24.5	25	25.5	26	26.5	27	27
5 1/2Cuff	10	10.5	11	11.5	12	12.75	13.5	14.25
6 Front zipper	42	44	46	48	50	52	54	54
7 Back length	59	61	63	65	67	69	71	71



DZ-BETA-SZ045 LONG SLEEVE JERSEY




TEMPLATE INFO

Template: Partial slim fit(set-in sleeve)
Fabric composition: 92% polyester 8% spandex
Length: Medium length
Matching of fabric accessories:
 Whole body **T090** fabric, sleeves milk silk fabric
 Cuffs arbitrary tailored technology, collar bonding technology
 Rear hem **4.5cm** non-slip webbing hot rotation
 Collar with compressed antiperspirant strips design
YKK formal zipper(exposed) with low V-neck design

DZ-BETA-SZ045 LONG SLEEVE JERSEY SIZE CHART

Unit: cm


SIZE CHART	XS	S	M	L	XL	2XL	3XL	4XL
1 1/2Chest	36	38	40	42	44	47	50	53
2 1/2Waist	32	34	36	38	40	44	48	52
3 1/2Hem	34	36	38	40	42	45	48	51
4 Sleeves length	52	53	54	55	56	57	58	58
5 1/2Cuff	7.5	7.5	8	8.5	9	9.5	10	10
6 Front zipper	42	44	46	48	50	52	54	54
7 Back length	59	61	63	65	67	69	71	71



DZ-BETA-AJ07




Professional cycling pads



● **High-density sponge compression module**
Polyurethane with a density of **110+kg/m³**

● **Inner comfort breathable layer**
Polyurethane with a density of **110+kg/m³**



● **3D cutting technology**
Contour edge cutting

● **Bottom release pressure**
Polyester quick-drying material

● **Surface moisture absorption and perspiration are skin-friendly**
Adopt **WICKING-MAX** fabric.



This cushion is suitable for short and medium mileage competitive riding. The surface is also known as **Wicking max** super-fine fabric, which is also skin-friendly and ensures dry cycling. The face sponge adopts a golf-like spherical design to ensure air permeability and avoid the discomfort caused by direct punching. The bearing part adopts high density breathable sponge (**density 110+**) and **3d cutting** technology to ensure the support force and eliminate the hard edge caused by hot pressing.

TEMPLATE INFO

Template:
Professional cyclist with racing body

Fabric composition:
Hot rotation part: 85% polyester 15% spandex
Crotch part: 82% polyester 18% spandex

Matching of fabric accessories:
Jiashida white riding fabric at the side heat transfer part
crotch black nylon fabric
PL dot webbing at the foot opening is **7.5cm**
hexagonal mesh webbing at the back, and white bubble mesh
Cushion (customized)
Four stitches and six threads at the hot transfer splicing part



DZ-BETA-AJ07 SIZE CHART


SIZE CHART	XXS	XS	S	M	L	XL	2XL	3XL	4XL
1 Inseam length	22.5	23	23.5	24	24.5	25	25.5	26	26
2 1/2Waist	26	28	30	32	34	36	38	40	42
3 1/2Hip	30	32	34	36	38	40	42	44	46
4 1/2Leg opening	17.25	18	18.75	19.5	20.25	21	21.75	22.5	23.25
5 Strap length	72	74	76	78	80	83	86	89	92

Unit: cm


DZ-BETA-AJ08



Professional cycling pads



- **High-density sponge compression module**
Polyurethane with a density of **110+kg/m³**
- **Inner comfort breathable layer**
Polyurethane with a density of **110+kg/m³**
- **3D cutting technology**
Contour edge cutting
- **Bottom release pressure**
Polyester quick-drying material



- **Surface moisture absorption and perspiration are skin-friendly**
Adopt **WICKING-MAX** fabric.

This cushion is suitable for short and medium mileage competitive riding. The surface is also known as **Wicking max** super-fine fabric, which is also skin-friendly and ensures dry cycling. The face sponge adopts a golf-like spherical design to ensure air permeability and avoid the discomfort caused by direct punching. The bearing part adopts high density breathable sponge (**density 110+**) and **3d cutting** technology to ensure the support force and eliminate the hard edge caused by hot pressing.



TEMPLATE INFO.

Template: Suitable for professional cyclists


Fabric:
The sublimation part: 85% polyester,15% spandex
Crotch part: 82% nylon 18% spandex

Features:
 Leg opening **4.5cm** anti-slip elastic stripe
 Black bibs and mesh fabric on the back
 Optional pads
 Flat-lock stitches

DZ-BETA-AJ08 SIZE CHART

Unit: cm


SIZE CHART	XXS	XS	S	M	L	XL	2XL	3XL	4XL
1 Inseam length	22.5	23	23.5	24	24.5	25	25.5	26	26
2 1/2Waist	26	28	30	32	34	36	38	40	42
3 1/2Hip	30	32	34	36	38	40	42	44	46
4 1/2Leg opening	17.25	18	18.75	19.5	20.25	21	21.75	22.5	23.25
5 Strap length	72	74	76	78	80	83	86	89	92



DZ-SLR-CK




Professional cycling pads



● **High-density sponge compression module**
Polyurethane with a density of **110+kg/m³**.

● **Inner comfort breathable layer**
Polyurethane with a density of **110+kg/m³**.




● **3D cutting technology**
Contour edge cutting.

● **Bottom release pressure**
Polyester quick-drying material.

● **Surface moisture absorption and perspiration are skin-friendly**
Adopt **WICKING-MAX** fabric.

This cushion is suitable for short and medium mileage competitive riding. The surface is also known as **Wicking max** super-fine fabric, which is also skin-friendly and ensures dry cycling. The face sponge adopts a golf-like spherical design to ensure air permeability and avoid the discomfort caused by direct punching. The bearing part adopts high density breathable sponge (**density 110+**) and **3d cutting** technology to ensure the support force and eliminate the hard edge caused by hot pressing.




TEMPLATE INFO.

Racing model:
Suitable for professional cyclists

Fabric:
The sublimation part: 85% polyester 15% spandex and fleeced fabric
Crotch part: 82% nylon 18% spandex fleeced fabric

Features:
Side part -85% polyester,15% spandex can sublimation
Crotch part&-82%nylon,18% spandex
White bibs and mesh fabric on the back,optional pads
Flat-lock stitches and reflective zipper on the leg



DZ-SLR-CK SIZE CHART

Unit: cm

SIZE CHART	XS	S	M	L	XL	2XL	3XL	4XL
1 Inseam length	63	64.5	66	67.5	69	70.5	72	72
2 1/2Waist	28	30	32	34	36	38	40	42
3 1/2Hip	30	32	34	36	38	40	42	44
4 1/2Leg opening	8.5	9	9.5	10	10.5	11	11.5	12
5 Strap length	74	76	78	80	83	86	89	92

LAMEDA CUSTOM

www.lamedacustom.com




www.lamedacustom.com

HANGZHOU LAMEDA SPORT.CO., LTD

2th Floor, B2-Building No.830 West wenyi Road,
XiHu District, Hangzhou

 www.lamedacustom.com

 jsy@lmdsport.com

 +86 136-6668-2506